

Record • Listen • CD-Burn all in one package!

Recording

Guidebook

CD-2e
SD/CD RECORDER



Roland®

Recording Guidebook

Chapter 1: What is the CD-2e?

Features of the CD-2e.....	3
Meet the CD-2e!	4

Chapter 2: Create a CD!

Easy recording in three steps	6
Easily create a CD in three steps.....	7

Chapter 3: Recording Tips

Recording a piano	8
Recording a wind instrument.....	9
Recording a string instrument	10
Recording a wind or brass ensemble	11
Recording your band practice.....	12
Recording a acoustic guitar	13

Chapter 4: Do even more with the CD-2e

Use the lesson functions for practicing	14
When you're not sure how to proceed, use the Easy Guide feature	14
Turn records or cassette tapes into CDs	15
Use your CD-2e with the EDIROL R-09 to capture the sounds of life on CD!.....	15



Features of the CD-2e

All-In-One Unit! Nothing Else Required to Make a CD



- ▶ **High-quality stereo mic, stereo speaker, and CD-R/RW drive in a slim case.**
- ▶ **No computer is required, from recording to CD burning.**
- ▶ **Light-weight and battery-powered for mobile use. Take it anywhere! ***

* Record and playback on SD card memory only. AC Adaptor (included) is required for CD writing and reading.

Easy-To-Use, Simple CD Recording Tool for Anyone!



- ▶ **As easy to use as a cassette recorder. CD-burning made simple.**
- ▶ **Includes wireless remote controller. Record from any location.**
- ▶ **Friendly LCD navigation by pressing [EASY GUIDE] button. ***

* Available display languages: English, German, French, Italian, Spanish, and Japanese.

A Great Tool for Music Study



- ▶ **A-B Repeat, Tempo Change, Pitch Change, and more for music lessons.**
- ▶ **Metronome and Tuner for both acoustic & electric instruments.**
- ▶ **CD-quality recording and playback for various educational needs.**



Meet the CD-2e!

Remote control

You can control recording and playback from a distance. No need to worry that you started recording too soon or too late.

Battery operation

Six AA alkaline batteries will provide approximately six hours of continuous recording. You can take the CD-2e with you and record anywhere!

* Battery operation available only for recording/playback with an SD memory card.



SD card slot

You can use an SD memory card for recording and playback, and also edit the recorded data.

* Cards in a range of capacities, from 64MB up to 8GB, are supported.

SD memory cards that the CD-2e can use:

Refer to the Roland website for details on the SD memory cards that can be used with the CD-2e. Up-to-date information about cards that are known to work is provided on the website.
<http://www.Roland.com/>



Stereo speakers

The CD-2e's sound comes from here. Simply press the [PLAY] button and you can listen immediately to what you've recorded.

CD slot

You can record directly to a CD-R/RW disc, or record selected songs from an SD memory card to a CD-R/RW disc. A CD-R/RW disc you record can easily be turned into a music CD!

* You'll need the dedicated AC adaptor (included) in order to use the CD drive.



Stereo mic

This is where the sound goes into the recorder. The CD-2e features high-performance stereo mics that capture every subtle nuance of your sounds with superb presence.

POINT

CD-R and CD-RW Use them as appropriate

Performances you record on a CD-R disc can't be erased, but a CD-RW can be recorded to again and again. Use a CD-R for recordings you want to keep, and a CD-RW for repeated recording.

Easy recording in three steps

Step
1

Insert the CD-R disc into the CD-2e

Into the CD slot located on the right side of the CD-2e, insert a CD-R disc with the writing surface facing downward. You'll be able to record approximately 74 minutes on a 650 MB CD-R disc, and approximately 80 minutes on a 700 MB disc.



Step
2

Adjust the level of the internal mics

On the left side of the CD-2e, set the [MIC SELECT] switch to "INT," and use the [MIC] knob to adjust the input level while producing sound with the source you're recording. If you have difficulty adjusting the input level, set the [MIC LEVEL] switch to "AUTO," and the CD-2e will make adjustments automatically.



Step
3

Start recording

When you've finished making preparations, start recording. Operation is as easy as using a cassette recorder. Press the [REC] button once to enter "recording-standby" mode, and then press the [PLAY] button to start recording. When the performance is finished, press the [STOP] button. The recording process is that simple!



POINT

To record with the best sound quality

Adjust the input level appropriately for the sound you'll be recording. The peak indicator located above the [MIC] knob should light briefly when the loudest sounds occur. You can also use headphones to listen to the sound that's being input from the internal mics (i.e., the sound being recorded).



Easily create a CD in three steps

Step 1

Check the recording through the onboard speakers

Press the [PLAY] button to listen to the recorded performance. If you're satisfied with the recording, you're done at this point. If you decide to re-record, or if you want to record an additional song, repeat steps 1–3 on the page at left.



Step 2

Complete the process by "finalizing" the CD

"Finalizing" is the process that makes a recorded CD-R/RW disc playable on a conventional CD player. When you press the [EJECT] button, a message asking "Finalize Are You Sure?" will appear. Press the [ENTER] button to carry out the Finalize operation.



Step 3

Your original CD is ready!

Finalization will take approximately two minutes. When the process is completed, the CD will be ejected from the slot on the right side of the CD-2e. Your original CD is ready. Creating a CD is as simple as that.



POINT

Taking advantage of an SD memory card

The CD-2e lets you record on SD memory cards as well as on CD-R/RW discs. If you use an SD memory card, you'll be able to freely organize and edit the songs. By taking advantage of SD memory cards you can enjoy recording and creating CDs in a variety of ways.





Recording a piano

Try different locations to capture the sound you want

The sound of a piano comes from the vibration of the entire instrument, including the vibration of the strings after they've been struck by the hammers, and the vibration of the sounding board as it resonates with the string vibrations. In general, emphasizing the sound from the strings will produce greater clarity, while emphasizing the overall resonance will produce greater richness. Moving the mic closer to the instrument will also make the sound brighter, while moving the mic away from the instrument will produce a sound that's richer and more mellow. Try different locations to get the sound you want to record.

To record a clear sound


Place the CD-2e on top of the instrument if you want to emphasize the attacks. This position will emphasize the vibration of the strings, producing a clear-sounding recording.

To record a well-balanced sound



Change the height to adjust the attack and resonance

You can view the piano's lid as a sort of dividing line; placing the mics higher than it will emphasize the vibration of the strings, while placing them lower will emphasize the body resonances.



To record a rich sound

Place the CD-2e beside the performer if you want to record a rich sound. This position will emphasize the resonances of the sounding board and the body, producing a deep and rich-sounding recording.

Use the CD-2e for daily practice or to create lesson materials

The CD-2e is a wonderful tool, not only for recording "real" performances, such as recitals, but also for daily practice. For example, you can record yourself practicing and then play it back immediately, so you can more objectively evaluate how you sound. This can help you improve your abilities.

If you're a piano teacher, you can create a "model CD" of your own playing, or give the student a "practice CD." The CD-2e makes it easy to create lesson material.

POINT

Recording the best sound from an upright piano

An upright piano will have a slightly muffled sound. In order to record a sparkling sound similar to that of a grand piano, open the top lid and place the CD-2e about 40–80 inches (1–2 meters) away.



What is the CD-2e?

Create a CDI

Recording Tips

Do even more with the CD-2e




Recording a brass instrument

Minimize noise by avoiding wind pressure

When recording a brass instrument, placing the mics directly in front of the bell may cause noise to appear in the recording. This is a distinctive type of noise produced by the mic due to the pressure of wind blown out of the bell. To avoid this, it's important to place the mics at an appropriate distance for recording. Woodwind instruments played by pressing keys will also allow some sound to escape from themselves. Place the mics slightly to the left or right, rather than directly in front of the instrument.

Keep the mics at a distance to minimize breath noise

When recording a brass instrument, you may notice unwanted sounds such as the opening or closing of the keys, or breath sounds. Moving the mics away from the instrument can minimize these sounds. Since brass instruments produce a fairly high volume, you don't need to worry that the level of the instrument itself will be inadequate. On the contrary, keeping the mics at a good distance will let you record the rich resonances of the entire room.




Use distance to adjust the character of the ensemble

Placing the mics at a distance will produce a unified and balanced recording of the entire ensemble, while moving the mics closer will allow the sound of each instrument to be clearly distinguished.


Distance the mics to reduce noise

Key noise may be a concern when recording sax or clarinet. If so, aim the mics at the entire instrument and keep them at a distance.



Minimize noise by avoiding direct sound

For instruments that have a forward-facing bell, such as a trumpet, wind pressure may cause noise to occur. Tilt the mics upward or downward to soften the direct sound.



POINT

Use headphones to check the noise level of the room

Be aware of often-unnoticed sources of noise in the room, such as refrigerators or air conditioners. Listen through headphones before you start recording, and turn off sources of noise that can be turned off.





Recording a string instrument

Get a rich sound by allowing distance from the instrument

The distinctive resonance of string instruments such as the violin is created by the combination of the sound of the strings themselves with the resonances of the instrument's body. The point is that you should place the mics where the string and body resonances are well-balanced. Placing the mics 80–120 inches (2–3 meters) from the front of the instrument (for a violin, facing the musician) will produce a well-balanced recording. Once you've become familiar with recording string instruments, you can try varying the distance and height of the mics to obtain other tonal characteristics.

Emphasize the body or strings to capture your unique tone


If you want a deeper sound, aim the mics at the f-holes from which the body resonances escape. On the other hand, if you want to emphasize the scraping of the bow on the strings, position the mics in front of the instrument and move a bit closer. In particular, moving the mics close to the bridge will allow the bow movements to be captured realistically.

Emphasize the sound of the strings

If you want to emphasize the sound of the bow on the strings, move the mics close to the bridge. When doing so, adjust the input level to prevent distortion from occurring.

Emphasizing the sound of the body

If you want to capture a deep and rich tone, aim the mics at the f-holes, which emit the body resonances.




Use distance and height to adjust the tone

A distance of 40–80 inches (1–2 meters) from the instrument will produce a bright tone, and a distance of 120–160 inches (3–4 meters) will produce a rounded, mellow tone. Placing the CD-2e on a chair to gain some height will give the sound more clarity.

POINT

Use the internal tuner to check the pitch before recording

The CD-2e contains a built-in chromatic tuner. You can tune to a reference pitch, and there's also a tuning guide that provides a visual indication of the pitch.






Recording a wind ensemble

In a concert hall, record from the center!

If you're recording from the audience seating of a concert hall, place the mics in the middle of the seating area. The best location is usually in the center, somewhere in the middle third (seen front to back) of the audience seating. The height is important. Place the mics at the level of your ears when seated. If you don't have a stable platform, use an external mic and mic stand.


Use height to adjust crispness Use distance to adjust clarity

Placing the mics near the stage will capture a well-defined sound, and moving them away from the stage will capture more reverberation, producing a softer effect. You should start by sitting in the center of the hall and placing the CD-2e at the level of your ears.



Avoid recording the direct sound in a practice room

In a small room, you may be unable to avoid placing the CD-2e in front of the conductor, but in this scenario, the instruments near the mics will be recorded at an inappropriately high volume. You'll get better results by using an external mic and positioning it in a high location so that the volume balance between all of the instruments will be correct. A useful trick is to place the CD-2e at the height of the conductor's desk, pointing away from the musicians. This may enable you to record the instruments without unduly emphasizing any particular one, so it's worth trying if you have problems with the volume balance.



In a small room, use an external mic to record from above

By placing the mic up high, you can prevent the sound of specific instruments from entering the mic directly. This will improve the overall balance of the recording.

POINT

Aim the mics toward the center of the stage

If you're recording right next to a wall, aim the mics toward the center of the stage. It's convenient to place the CD-2e on a music stand. (Use an SD memory card for recording.)






Recording your band practice

The key is to restrain the volume of your PA and amps

When recording your band in a rehearsal studio, the mic input level (p. 6) is crucial. However, if your PA and amps are too loud, lowering the input level may not be enough to avoid distortion. This is because the sound level has already exceeded the capacity of the mics when it enters the mics. Keep the mics at a distance and lower the volume of your PA and amps.

Use a mic to sing along with your electronic instrument

The CD-2e lets you record simultaneously from the mic input and LINE input. This is a convenient way to record yourself singing while you perform on an electronic musical instrument. Use the [MIC SELECT] switch to choose either the internal mics or external mics, and connect the output of your electronic musical instrument to the [LINE IN] jacks. Use the [MIC] knob to adjust the mic volume, use the [LINE] knob to adjust the volume of the electronic musical instrument, and then start recording.



Keep your amp volume down

Lower the output of your amps so that each person can be heard. Adjust your volume balance based on the acoustic sound of the drums.

Adjust the direction of the amps

If the sound is still distorted even though you've lowered the amp volume, change the angle of your amps so that the direct sound does not reach the mics.

POINT

Change the playback speed for easy learning by ear

The CD-2e lets you play back a song faster or slower than normal. This is a great way to practice rapid phrases or to learn complex passages by ear.





Recording a acoustic guitar

Minimize the room resonances and capture the sound of the guitar itself

The acoustic guitar is a familiar instrument that can be conveniently played at home. But when played in a typical room, the sound may resonate excessively, blurring the tonal characteristics or possibly causing specific pitches to be inappropriately accentuated. Try closing the curtains or draping blankets over the backs of chairs to dampen the resonances of the room. On the other hand, a completely dead sound is not desirable either. You can use reverb to add spatial ambience.

Record a good balance of the strings and body resonance


The enchanting sound of the acoustic guitar is a combination of the rich mid- and low-range body resonances together with the highs produced by the plucked strings. But if the body resonances are excessively emphasized, the result will sound muddy. Place the mic about 20–40 inches (50 cm to 1 meter) away from the guitar to get a well-balanced recording. It's also important to avoid moving the instrument during the performance. If tonal characteristics seem to waver, pay attention to your playing posture.

Emphasizing the sound of the strings

If you feel that the mid and low ranges are too strong, point the mic toward the neck so that the string vibrations will be picked up more strongly.


Use a blanket to reduce unwanted reflections

You can use blankets to reduce unwanted acoustic reflections from the walls. This is also a very useful technique when recording vocals.



Well-balanced strings and body resonance

Aiming the mics at a point between the sound hole and the neck joint will give you a well-balanced recording. You can vary the tonal characteristics by changing the angle.



POINT

This also works for ukulele

In the case of instruments that have a substantial difference between loud and soft notes, turn the [MENU] → "Limiter" setting "On." Even when loud notes are played, the input level will be automatically adjusted to prevent distortion.






Do even more with the CD-2e

Use the lesson functions for practicing


Daily practice is essential to progress, and the CD-2e provides various features that can help. Use the built-in Tuner (1) to tune your instrument before you begin practicing. The A-B Repeat feature (2) lets you repeatedly play back a section of music so that you can keep practicing it, and you can use the Slow Play feature (3) to decrease the playback speed without changing the pitch—a great way to learn fast-tempo passages. There's also a Metronome (4) to help your rhythm, and a Pitch Change feature (5) that shifts the playback pitch of a commercial CD or the SD card to match the tuning of your instrument.



(1) Tuner




(2) A-B Repeat



(3) Slow Playback



(4) Metronome



(5) Pitch Change


When you're not sure how to proceed, use the Easy Guide feature

The CD-2e provides an Easy Guide feature that helps you accomplish a goal—simply press the buttons as directed onscreen. If technology isn't your strong point, rely on this helper. Start by pressing the [EASY GUIDE] button, and then select the desired task from the list. Then, just operate the controls as directed by the CD-2e. Easy Guide will walk you through basic operations such as (1) recording, (2) deletion, (3) creating a CD, (4) finalizing a CD, (5) backing up a CD, (6) karaoke, and (7) overdubbing.


* For (6) karaoke, the Center Cancel function lets you use a music CD with vocals as a karaoke CD.



[EASY GUIDE] button



EASY GUIDE screen



Center Cancel




Turn records or cassette tapes into CDs


Are there any dusty boxes of records or cassette tapes in your closet? They're taking up space, and their sound quality is also gradually deteriorating. Why not transfer your music from old media to CDs for archiving? Just connect your record player or cassette deck to the [LINE IN] jacks located on the left side of the CD-2e, and start recording. If you use the automatic marker function, silences between songs on the record or tape will be detected, and the songs will be numbered accordingly.

* You may need a phono amp (phono equalizer) when connecting your record player.

● Recording sound from the record player



● Recording sound from the cassette deck



Use your CD-2e with the EDIROL R-09 to capture the sounds of the world on CD!

The EDIROL R-09 is a great way to make outdoor recordings, such as birdsongs, the murmur of a brook, the sounds of nature, trains, vehicle sounds, or sonic memories of your travels. The R-09 uses the same SD memory cards as the CD-2e. After you've made a recording on the R-09, simply move its SD card over to the CD-2e to transfer the audio data without having to use a computer. You can use the CD-2e to edit the recorded data and turn it into a CD. Used in combination, these two recorders will open up new ways for you to enjoy recording.



* When recording on the R-09, set the recording mode to "WAV 16-bit" and sampling frequency to "44.1 kHz."

Accessories

CB-CD2E

Carrying Case



DR-30/DR-50

Dynamic Microphone



ST-100MB

Microphone Stand



RH-300/RH-200

Headphones




Specifications


Recorder Part		Input/Output																													
Tracks	2 (Stereo)	Frequency Response	20 Hz–20 kHz (+0dB/-2dB)																												
Sampling Rate	44.1 kHz	Nominal Input Level (variable)	EXT MIC Input L/MONO, R Jack: -51 – -14 dBu (maximum -2 dBu) LINE Input Jacks (L, R): -24 – 0 dBu (maximum +12 dBu)																												
Signal Processing	AD/DA conversion: 24 bits	Nominal Output Level	Line Output Jack: -10 dBu (maximum +2 dBu)																												
Recording Mode	SD Memory Card: WAV (44.1 kHz, 16 bits) CD-R, CD-RW: Audio CD	Input Impedance	EXT MIC Input L/MONO, R Jack: 20 k ohms Line Input Jacks (L, R): 9 k ohms																												
Recording Media	SD Memory Card (supports 64 MB–8 GB, SDHC format compatible) CD-R, CD-RW	Output Impedance	Line Output Jack: 1 k ohms Phones Jack: 22 ohms																												
Recording Time (unit: min)	<table border="1"> <thead> <tr> <th colspan="4">CD-R or CD-RW disc</th> </tr> <tr> <th>Disc Capacity</th> <th>650MB</th> <th>700MB</th> <th></th> </tr> <tr> <th>Recording Time</th> <td>74</td> <td>80</td> <td></td> </tr> </thead> <tbody> <tr> <th colspan="4">SD Memory Card</th> </tr> <tr> <th>Card Capacity</th> <td>512MB</td> <td>1GB</td> <td>2GB</td> <td>4GB</td> <td>8GB</td> </tr> <tr> <th>Recording Time</th> <td>46</td> <td>93</td> <td>190</td> <td>373</td> <td>763</td> </tr> </tbody> </table>			CD-R or CD-RW disc				Disc Capacity	650MB	700MB		Recording Time	74	80		SD Memory Card				Card Capacity	512MB	1GB	2GB	4GB	8GB	Recording Time	46	93	190	373	763
	CD-R or CD-RW disc																														
	Disc Capacity	650MB	700MB																												
	Recording Time	74	80																												
SD Memory Card																															
Card Capacity	512MB	1GB	2GB	4GB	8GB																										
Recording Time	46	93	190	373	763																										
	* Each recording time is an approximate estimate including some errors. * With multiple files, the sum of recording time would be shorter than above. * Maximum recording time of one song is 74 minutes.																														
Recording Songs	Up to 99 songs on a single SD Memory Card, CD-R, or CD-RW																														
Input/Output																															
Audio Input	Internal Stereo Microphone EXT MIC Input L/MONO, R Jack: 1/4 inch phone type LINE Input Jacks (L, R): RCA phono type																														
Audio Output	Internal Stereo Speaker PHONES Jack: Stereo miniature phone type Line Out Jack: Stereo miniature phone type																														
Accessories		Owner's Manual, Quick Start, Application Guide, AC Adaptor (PSB-1U), Power Cord, SD Memory Card, CD-R Disc (Blank media), Remote Controller, Battery for Remote Controller (CR2025)																													

* 0 dBu = 0.775 V rms

SIDE Panel



REAR Panel



Roland[®]
WE DESIGN THE FUTURE™

Visit us online at www.Roland.com

Copyright © 2007 ROLAND CORPORATION
All rights reserved. No part of this publication may be reproduced in any form without the written permission of ROLAND CORPORATION.

- In the interest of product improvement, the specifications and/or appearance of this unit are subject to change without prior notice.
- SD logo () and SDHC logo () are trademarks.
- All product names mentioned in this document are trademarks or registered trademarks of their respective owners.
- Do not use this unit for purposes that could infringe on a copyright held by a third party. We assume no responsibility whatsoever with regard to any infringements of third-party copyrights arising through your use of this unit.
- The "Fugue" flash file system by Kyoto Software Research Corporation is used as the file system for SD memory cards.

Fugue © 2007 Kyoto Software Research, Inc. All rights reserved.

